

Construction Products Regulation

Declaration of Performance

1. Door Type SFR200 Residential Garage Door
2. Serial no Unique drawing reference
3. Operation Power operated door
4. Intended use External door for vehicle access
5. Manufacturer OSA Door Parts Ltd
Ashville Industrial Estate
Runcorn
Cheshire UK
WA7 3EZ
6. Assessment Level 3
7. Harmonised Standard BS EN 13241-1:2003 + A1:2011

0402-CPR-531001

SP Technical Research Institute of Sweden
performed Initial Type Tests under system 3
and issued test report SP ref: PX28459M
8. Declared Performance

Essential Characteristic	Declared performance	Harmonised Standard
Watertightness	Class 3	EN 13241-1:2003 + A1:2011
Dangerous substances	None	
Resistance to wind load	5	
Thermal resistance	0.9 W/m ² .K	
Air Permeability	Class 3	
Safe opening - for vertically opening doors	Pass	
Definition of geometry of glass components	Pass	
Mechanical resistance and stability	Pass	
Operating forces	Pass	
Durability of water tightness, thermal resistance and air permeability	Pass	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 5.

Signed for and on behalf of the manufacturer by:



W.Hammond
Director
October 2015